

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
10 February 2005 (10.02.2005)

PCT

(10) International Publication Number  
**WO 2005/012373 A1**

(51) International Patent Classification<sup>7</sup>: C08F 210/10,  
216/12, 297/00, 8/12, 216/06

(21) International Application Number:  
PCT/US2004/024624

(22) International Filing Date: 30 July 2004 (30.07.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/491,460 31 July 2003 (31.07.2003) US  
10/902,280 29 July 2004 (29.07.2004) US

(71) Applicant (for all designated States except US): SCIMED  
LIFE SYSTEMS, INC. [US/US]; One Scimed Place,  
Maple Grove, MN 55311-1566 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): FAUST, Rudolf  
[US/US]; 580 Concord Avenue, Lexington, MA 02421  
(US). ZHOU, Younghua [CN/US]; 70 Wannalancit St.,  
Lowell, MA 01854 (US).

(74) Agents: BONHAM, David, B. et al.; Mayer Fortkort &  
Williams, PC, 251 North Avenue West, 2nd Floor, West-  
field, NJ 07090 (US).

(81) Designated States (unless otherwise indicated, for every  
kind of national protection available): AE, AG, AL, AM,  
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,  
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,  
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,  
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,  
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,  
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,  
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,  
ZW.

(84) Designated States (unless otherwise indicated, for every  
kind of regional protection available): ARIPO (BW, GH,  
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,  
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),  
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,  
FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI,  
SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,  
GW, ML, MR, NE, SN, TD, TG).

**Published:**

- with international search report
- before the expiration of the time limit for amending the  
claims and to be republished in the event of receipt of  
amendments

For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.



WO 2005/012373 A1

(54) Title: COPOLYMERS COMPRISING BRANCHED OLEFIN AND VINYL ETHER UNITS

(57) Abstract: Novel copolymers, including block copolymers, that comprise: (a) a plurality of constitutional units that correspond to one or more branched olefin monomer species and (b) a plurality of constitutional units that correspond to one or more vinyl ether monomer species, which vinyl ether monomer species are selected from (i) hydrolysable vinyl ether monomer species and (ii) elevated-T<sub>g</sub> vinyl ether monomer species. Also described herein are methods of forming such copolymers. Also described are novel copolymers, including block copolymers, which comprise: (a) a plurality of constitutional units that correspond to one or more branched olefin monomer species and (b) a plurality of constitutional units that correspond to vinyl alcohol.


COPOLYMERS COMPRISING  
BRANCHED OLEFIN AND VINYL ETHER UNITS

STATEMENT OF RELATED APPLICATION


[0001] This application claims the benefit of priority to U.S. provisional patent application number 60/491,460 filed July 31, 2003, which is incorporated herein by reference in its entirety.

BACKGROUND OF THE INVENTION

[0002] As is well known, polymers are molecules containing one or more chains, which contain multiple copies of one or more constitutional units. An example of a common



polymer is polystyrene, where  $n$  is an integer, typically an integer of 10 or more, more typically on the order of 10's, 100's, 1000's or even more, in which the



constitutional units in the chain correspond to styrene monomers: (i.e., they originate from, or have the appearance of originating from, the polymerization of styrene monomers, in this case the addition polymerization of styrene monomers).

[0003] Copolymers are polymers that contain at least two dissimilar constitutional units. Copolymers are an important class of polymers and have numerous commercial applications. For instance, their unique properties, whether in pure form, in blends, in melts, in solutions, etc., lead to their use in a wide range of products, for example, as compatibilizers, adhesives, dispersants and so forth. Because each copolymer has its own unique properties, there is a continuing need for novel copolymers, which can be used in products such as those above.

## SUMMARY OF THE INVENTION

[0004] According to an aspect of the present invention, a copolymer is provided, which comprises: (a) a plurality of constitutional units that correspond to one or more branched olefin monomer species and (b) a plurality of constitutional units that correspond to one or more vinyl ether monomer species, which vinyl ether monomer species are selected from (i) hydrolysable vinyl ether monomer species and (ii) elevated- $T_g$  vinyl ether monomer species.

[0005] In certain embodiments, the copolymer is a block copolymer that comprises: (a) one or more olefin blocks that comprise a plurality of constitutional units corresponding to the one or more branched olefin monomer species and (b) one or more vinyl ether blocks that comprise a plurality of constitutional units corresponding to the one or more vinyl ether monomer species.

[0006] In certain other embodiments, the copolymer is a block copolymer of the formula  $X(\text{POL-C-PVE})_n$ , where X corresponds to an initiator species, C corresponds to a capping species, POL is an olefin block that comprises a plurality of constitutional units corresponding to the one or more branched olefin monomer species, PVE is a vinyl ether block that comprises a plurality of constitutional units corresponding to the one or more vinyl ether monomer species, and n is a positive whole number ranging from 1 to 5.

[0007] In embodiments where one or more hydrolysable vinyl ether monomer species are incorporated into the copolymer, at least a portion of the vinyl ether monomer species may be hydrolyzed to form hydroxyl groups.

[0008] According to another aspect of the present invention, a copolymer is provided, which comprises: (a) a plurality of constitutional units that correspond to one or more branched olefin monomer species and (b) a plurality of constitutional units that correspond to vinyl alcohol.

[0009] In certain embodiments, the copolymer is a block copolymer that comprises: (a) one or more olefin blocks that comprise a plurality of constitutional units corresponding to the one or more branched olefin monomer species and (b) one or more vinyl alcohol blocks that comprise a plurality of constitutional units corresponding to vinyl alcohol.

[0010] In certain other embodiments, the copolymer is a block copolymer of the formula  $X(\text{POL-C-PVA})_n$ , where X corresponds to an initiator species, C corresponds to a capping species, POL is an olefin block that comprises a plurality of constitutional units

corresponding to the one or more branched olefin monomer species, PVA is a vinyl alcohol block that comprises a plurality of constitutional units corresponding to vinyl alcohol, and  $n$  is a positive whole number ranging from 1 to 5.

[0011] In some instances, the copolymer (for instance, the vinyl alcohol block) further comprises a plurality of constitutional units that correspond to one or more non-hydrolysable vinyl ether monomer species.

[0012] Other aspects of the present invention are directed to a method of making copolymers. The method comprises: (a) providing a carbocationically terminated polymer comprising one or more olefin blocks; (b) contacting the carbocationically terminated polymer with a capping species that does not homopolymerize under the reaction conditions employed, thereby forming an end-capped carbocationically terminated polymer; and (c) contacting the end-capped carbocationically terminated polymer with one or more vinyl ether monomer species under reaction conditions that are of lower Lewis acidity than the reaction conditions of step (b).

[0013] In embodiments where one or more hydrolysable vinyl ether monomer species are incorporated into the copolymer, at least a portion of the vinyl ether monomer species may be hydrolyzed to form hydroxyl groups.

[0014] The carbocationically terminated polymer of step (a) may be formed, for example, from a reaction mixture that comprises: (i) a solvent system, (ii) one or more branched isoolefin monomer species, (iii) an initiator selected from an organic ether, an organic ester, an organic alcohol, and an organic halide, and (iv) a Lewis acid, for example,  $\text{TiCl}_4$ . [0015] An advantage of the present invention is that novel elastomeric copolymers can be produced, which can be used in a variety of commercial applications.

[0016] Another advantage of the present invention is that novel copolymers can be produced, which are capable of being hydrolyzed, thereby forming further novel polymers of increased hydrophilicity.

[0017] The above and other embodiments, aspects and examples of the present invention will become readily apparent to those of ordinary skill in the art in view of the disclosure herein.

**DETAILED DESCRIPTION OF THE INVENTION**

[0018] In some aspects, the copolymers of the present invention comprise (a) a plurality of constitutional units that correspond to one or more branched olefin monomer species and (b) a plurality of constitutional units that correspond to one or more vinyl ether monomer species. The vinyl ether monomer species may be hydrolysable, have elevated  $T_g$  characteristics, or a combination of both. Such vinyl ether monomer species are frequently hereinafter referred to as "elevated- $T_g$ /hydrolysable vinyl ether monomer species". Typically, each of these constitutional units occurs within the copolymer molecule at a frequency of at least 10 times, and more typically at least 50, 100, 500, 1000 or more times.

[0019] Examples of branched olefin monomer species for use in connection with the present invention include C4 to C14 branched olefins, for example, C4 to C10 isoolefins such as isobutylene, 3-methyl-1-butene, 4-methyl-1-pentene and beta-pinene.

[0020] Examples of vinyl ether monomer species having elevated  $T_g$  characteristics (referred to herein as "elevated- $T_g$  vinyl ether monomer species") include tert-butyl vinyl ether, tert-butyldimethylsilyl vinyl ether, benzyl vinyl ether, cyclohexyl vinyl ether and neopentyl vinyl ether. By "elevated- $T_g$  vinyl ether monomer species" is meant that a vinyl ether homopolymer formed from the monomer species displays a glass transition temperature ( $T_g$ ), as measured by any of a number of techniques including differential scanning calorimetry (DSC), dynamic mechanical analysis (DMA), or dielectric analysis (DEA), that is above room temperature (i.e., 25°C).

[0021] Examples of vinyl ether monomer species that are hydrolysable (referred to herein as "hydrolysable vinyl ether monomer species") include tert-butyl vinyl ether, benzyl vinyl ether and tert-butyldimethylsilyl vinyl ether. A "hydrolysable vinyl ether monomer species" is a vinyl ether monomer species whose ether groups can be hydrolyzed to alcohol groups under the influence of acids or bases.

[0022] In certain embodiments, the copolymers of the present invention further include a plurality of units that correspond to one or more non-hydrolysable vinyl ether monomer species, in addition to units that correspond to one or more hydrolysable vinyl ether monomer species. Examples of such monomer species include cyclohexyl vinyl ether and neopentyl vinyl ether. [0023] The copolymers of the present invention embrace a variety of configurations, for example, cyclic, linear and branched configurations.

Branched configurations include star-shaped configurations (e.g., configurations in which three or more chains emanate from a single region), comb configurations (e.g., graft copolymers having a main chain and a plurality of side chains), and dendritic configurations (including arborescent or hyperbranched copolymers). The copolymers of the present invention embrace (a) copolymers comprising one or more chains containing repeating constitutional units of a single type (e.g., block copolymers), (b) copolymers comprising one or more chains containing randomly distributed constitutional units of two or more types (e.g., random copolymers), (c) copolymers comprising one or more chains containing two or more types of constitutional units that repeat within an ongoing series (e.g., alternating copolymers), and so forth.

[0024] For example, in certain beneficial embodiments, the copolymers of the present invention are block copolymers containing (a) one or more olefin blocks, which contain a plurality of units corresponding to one or more branched olefin monomer species and (b) one or more vinyl ether blocks, which contain a plurality of units that correspond to one or more elevated- $T_g$ /hydrolysable vinyl ether monomer species. Examples of branched olefin monomer species and elevated- $T_g$ /hydrolysable vinyl ether monomer species are discussed above. As above, in some embodiments, the vinyl ether blocks can further contain a plurality of units that correspond to one or more non-hydrolysable vinyl ether monomer species (see above examples of the same), in addition to units that correspond to one or more hydrolysable vinyl ether monomer species.

The number average molecular weight ( $M_n$ ) of the block copolymers of the present invention typically range, for example, from about 1000 to about 2,000,000, more typically from about 10,000 to about 300,000, even more typically 50,000 to 150,000, with the vinyl ether units typically comprising 5-75 mol%, more typically 10-50 mol%, even more typically 20-30 mol% of the polymer. In some embodiments, polymers have a narrow molecular weight distribution such that the ratio of weight average molecular weight to number average molecular weight ( $M_w/M_n$ ) (i.e., the polydispersity index) of the polymers ranges from about 1.0 to about 1.5, or even from about 1.0 to about 1.2.

[0025] Living polymerization, i.e., a polymerization that proceeds in the practical absence of chain transfer and termination, is a desirable objective in polymer synthesis. Living polymerizations can yield polymers with well-defined structures as well as controlled molecular weight, molecular weight distribution and end functionalities.

[0026] In some embodiments of the present invention, block copolymers are formed by the sequential monomer addition technique using (a) branched olefin monomer species (e.g., isobutylene) and (b) elevated- $T_g$ /hydrolysable vinyl ether monomer species (e.g., benzyl vinyl ether, cyclohexyl vinyl ether, neopentyl vinyl ether, t-butyl vinyl ether, tert-butyldimethylsilyl vinyl ether, and combinations thereof). Since the reactivity of the vinyl ether and the branched olefin monomer species are frequently drastically different, a simple sequential monomer addition technique cannot be used in many instances.

[0027] Accordingly, copolymers in accordance with the present invention are made in some embodiments by a process that includes: (a) providing a polymer that contains one or more carbocationically terminated olefin blocks, which blocks further contain a plurality of units that correspond to one or more branched olefin monomer species; (b) contacting the carbocationically terminated polymer with a capping species that does not homopolymerize under the reaction conditions employed, thereby forming an end-capped carbocationically terminated polymer; and (c) contacting the end-capped carbocationically terminated polymer with one or more elevated- $T_g$ /hydrolysable vinyl ether monomer species under reaction conditions that are of lower Lewis acidity than the reaction conditions of step (b). For example, as discussed further below, Lewis acidity in step (b) can be established by including  $TiCl_4$  as a Lewis acid, and the Lewis acidity in step (c) can be lowered by the addition of a titanium tetraalkoxide.

[0028] In many embodiments, the carbocationically terminated polymer is formed at low temperature from a reaction mixture that comprises: (a) a solvent system appropriate for cationic polymerization, (b) one or more branched olefin monomer species, (c) an initiator, and (d) a Lewis acid coinitiator. In addition, a proton-scavenger is also typically provided to ensure the practical absence of protic impurities, such as water, which can lead to polymeric contaminants in the final product.

[0029] Polymerization can be conducted, for example, within a temperature range of from about  $0^\circ C$  to about  $-100^\circ C$ , more typically from about  $-50^\circ C$  to  $-90^\circ C$ .

Polymerization times are typically those times that are sufficient to reach 90%, 95%, 99% or even higher conversions of the olefin monomer species to polymer.

[0030] Among the solvent systems appropriate for cationic polymerization, many of which are well known in the art, are included: (a) C1 to C4 halogenated hydrocarbons, such as methyl chloride and methylene dichloride, (b) C5 to C8 aliphatic hydrocarbons,

such as pentane, hexane, and heptane, (c) C5 to C10 cyclic hydrocarbons, such as cyclohexane and methyl cyclohexane, and (d) mixtures thereof. For example, in some beneficial embodiments, the solvent system contains a mixture of a polar solvent, such as methyl chloride, methylene chloride and the like, and a nonpolar solvent, such as hexane, cyclohexane or methylcyclohexane and the like.

[0031] Initiators for living carbocationic polymerization are commonly organic ethers, organic esters, organic alcohols, or organic halides, including tert-ester, tert-ether, tert-hydroxyl and tert-halogen containing compounds. Specific examples include alkyl cumyl ethers, cumyl halides, alkyl cumyl esters, cumyl hydroxyl compounds and hindered versions of the same, for instance, dicumyl chloride and 5-tert-butyl,1,3-dicumyl chloride. Carbocationically terminated star polymers can be formed by selecting initiators having three or more initiation sites, for example, tricumyl chloride (i.e., 1,3,5-tris(1-chloro-1-methylethyl)benzene), which contains three initiation sites.

[0032] Examples of Lewis acid coinitiators include metal halides such as boron trichloride, titanium tetrachloride and alkyl aluminum halides. The Lewis acid coinitiator is typically used in concentrations equal to or greater, e.g., 2 to 50 times greater, than the concentration of the initiator.

[0033] Examples of proton-scavengers (also referred to as proton traps) include substituted or unsubstituted 2,6-di-tert-butylpyridines, such as 2,6-di-tert-butylpyridine and 4-methyl-2,6-di-tert-butylpyridine, as well as 1,8-bis(dimethylamino)-naphthalene and diisopropylethyl amine. The concentration of the proton trap is preferably only slightly higher than the concentration of protic impurities such as water in the polymerization system.

[0034] Regardless of the synthesis technique utilized for forming the carbocationically terminated polymer, once a desired living carbocationically terminated polymer is obtained, a capping species that does not homopolymerize under the reaction conditions employed (e.g., the reaction conditions utilized in forming the carbocationically terminated polymer) is contacted with the carbocationically terminated polymer in some embodiments, thereby forming an end-capped carbocationically terminated polymer. Examples of capping species for this purpose include diaryl alkenes such as substituted or unsubstituted diphenyl ethylenes, for instance, diphenyl ethylene or ditolyl ethylene. It is believed that these compounds do not polymerize due to steric hindrance; however, they



do form stable carbocations with the carbocationically terminated polyolefin. In general, the diaryl alkylene species is added to the polymerization media in concentrations equal up to about 10 times the concentration of the living chain ends, preferably about 1 to about 5 times the concentration of the living chain ends, even more preferably about 2 times the concentration of the living chain ends. The diaryl alkylene species is allowed to react with the living polymer for a time sufficient to result in the desired degree of chain capping, typically 90% capping, 95% capping, 99% capping, or even more.

[0035] The resulting end-capped carbocationically terminated polymer is then contacted with at least one elevated- $T_g$ /hydrolysable vinyl ether monomer species, under conditions of suitable Lewis acidity, to produce block copolymers in accordance with the present invention. In certain embodiments, at least one non-hydrolysable vinyl ether monomer species, for example, cyclohexyl vinyl ether and/or neopentyl vinyl ether, is employed in addition to the hydrolysable vinyl ether monomer species, for example, by adding this monomer species either concurrently with the hydrolysable monomer species, or adding these monomer species sequentially. Polymerization times are those sufficient to reach the desired conversion of the vinyl ether monomer species to polymer, which is typically 80%, 90%, 95%, 99% or more.

[0036] As indicated above, when working with vinyl ether monomer species, the Lewis acidity is typically reduced relative to the reaction conditions that existed earlier (e.g., the conditions associated with end-capping). By decreasing the Lewis acidity, side reactions are minimized, and polymerization is better controlled, leading to high blocking efficiency. One suitable method for reducing Lewis acidity is to add a metal alkoxide species, for example, a titanium alkoxide species such as  $\text{Ti}[\text{OCH}(\text{CH}_3)_2]_4$ ,  $\text{Ti}[\text{O}(\text{CH}_2)_3\text{CH}_3]_4$ , or similar organotitanium species. The amount added generally depends on the reactivity of the vinyl ether monomer species. Another suitable technique for reducing Lewis acidity is to replace the existing Lewis acid with a weaker Lewis acid as is known in the art. For example,  $\text{TiCl}_4$  can be replaced with a weaker Lewis acid such as  $\text{SnCl}_4$ .

[0037] Further information regarding the preparation of block copolymers from monomer species that have significantly different reactivities, can be found, for example, in U.S. Patent No. 5,428,111, U.S. Patent No. 5,637,647, and U.S. Patent No. 5,677,386.

[0038] A variety of block copolymers can be formed using the above techniques. For

example, block copolymers of the formula  $X(\text{POL-C-PVE})_n$  are formed in various embodiments, where X corresponds to the initiator species, C corresponds to the capping species, POL is an olefin block, PVE is a vinyl ether block, and n is a positive whole number. Linear block copolymers are formed where  $n=1$  or  $n=2$ . Where  $n=2$ , the copolymers are sometimes referred to as triblock copolymers. This terminology disregards the presence of the initiator, for example, treating POL-X-POL as a single olefin block, with the triblock therefore denoted as PVE-POL-PVE. Star shaped copolymers are formed where  $n=3$  or more. The value of n is typically dictated by the functionality of the initiator molecule, with monofunctional initiators corresponding to  $n=1$ , difunctional initiators corresponding to  $n=2$ , and so forth. As noted above, the olefin block(s) will contain a plurality of constitutional units that correspond to one or more branched olefin species, while the vinyl ether block(s) will contain a plurality of constitutional units that correspond to one or more vinyl ether monomer species that are hydrolysable, have elevated  $T_g$  characteristics, or a combination of both characteristics.

[0039] In another aspect, at least a portion of the pendant hydrolysable ether units within the copolymers of the present invention are hydrolyzed to form pendant alcohol groups. Hydrolysis of the pendant ether groups is beneficially carried out, for example, by bubbling dry HBr gas through the polymer solution in methylene chloride or toluene (see Ohgi, H.; Sato, T. *Macromolecules* 1999, 32, 2403). Hydrolysis conditions and reaction times are typically sufficient to achieve 90%, 95%, 99% or even higher conversions of the pendant hydrolysable ether groups to alcohol groups.



[0040] As a specific example, using the above technique, a block copolymer containing poly(branched olefin monomer) blocks and poly(hydrolysable vinyl ether monomer) blocks can be converted into a copolymer containing poly(branched olefin monomer) blocks and poly(vinyl alcohol) blocks.

[0041] The invention is further described with reference to the following non-limiting Examples.

## EXAMPLES

[0042] In the examples that follow, molecular weight is measured by GPC (Gel Permeation Chromatography). Blocking efficiency was calculated based on chain end analysis by  $^1\text{H}$  NMR spectroscopy. The proton trap was 2,6-di-tert-butyl-pyridine (DTBP).

[0043] The strategy employed in these examples for the synthesis block copolymers is to cap the carbocationic polyisobutylene (PIB) chain end with 4,4'-dimethyl-1,1-diphenylethylene (also known as ditolyl ethylene or DTE):



and subsequently initiate vinyl ether polymerization from the generated stable diphenyl alkyl cation. Since the diphenyl alkyl cation is stable and fully ionized, the Lewis acidity can be decreased to a desired level to control the rate of homopolymerization of t-butyl vinyl ether (tBVE) or tert-butyldimethylsilyl vinyl ether (SiVE), leading to near 100% crossover efficiency and a narrow molecular weight distribution. Crossover is initiation of polymerization from the living PIB chain end, literally crossing over from polyisobutylene to poly(vinyl ether), hence the term "crossover".

[0044] In the examples below, novel isobutylene-based block-copolymer thermoplastic elastomers are produced. Prior to the present work, all isobutylene-based block-copolymer thermoplastic elastomers known to the present inventors were based on styrene or styrene derivatives. Furthermore, all isobutylene-based block-copolymer thermoplastic elastomers known to the present inventors contained hydrophobic end-blocks, while in the examples below, the present inventors have demonstrated the formation of hydrophilic end-blocks via hydrolysis. The examples below also

demonstrate that it is possible to carry out efficient living polymerization of tert-butyl vinyl ether. In this regard, living polymerization of tert.-butyl vinyl ether has been previously reported with ethyl aluminum sesquichloride, but the polymerization was impractically slow, with up to 60 hours being required.

#### Example 1

[0045] Low molecular weight ( $M_n=3,600$ ) PIB was prepared using 2,4,4-trimethylpentyl chloride (TMPCl) as initiator, and when the isobutylene conversion reached 100%, 4,4'-dimethyl-1,1-diphenylethylene (DTE) was added. The reaction conditions were as follows: temperature= $-80\text{ }^{\circ}\text{C}$ ,  $[\text{TMPCl}]=0.002\text{M}$ , isobutylene  $[\text{IB}]=0.1286\text{M}$ ,  $[\text{DTBP}]=0.004\text{M}$ ,  $[\text{TiCl}_4]=0.036\text{M}$ , solvent: methylene chloride/hexane ( $\text{CH}_2\text{Cl}_2/\text{Hex}$ ) 40/60 v/v mixture. The IB polymerization time was 1 hr. DTE, predissolved in the  $\text{CH}_2\text{Cl}_2/\text{Hex}$  40/60 mixture, was added in 100% excess to the living end at  $-80\text{ }^{\circ}\text{C}$ . The time for capping reaction was 1 hr. According to  $^1\text{H}$  NMR, capping was complete (100%).

#### Example 2

[0046] In these experiments different amounts of  $\text{Ti}[\text{OCH}(\text{CH}_3)_2]_4$ , also referred to herein as  $\text{Ti}(\text{Oip})_4$ , were added before the addition of tert-butyl vinyl ether, but after the DTE capping reaction. The polymerization time for tBVE was 1 hour. The reaction conditions were the following: temperature= $-80\text{ }^{\circ}\text{C}$ ,  $[\text{TMPCl}]=0.004\text{M}$ ,  $[\text{IB}]=0.17\text{M}$ ,  $[\text{tBVE}]=0.229\text{M}$ ,  $[\text{DTBP}]=0.006\text{M}$ ,  $[\text{TiCl}_4]=0.064\text{M}$ , solvent: methylene chloride/hexane ( $\text{CH}_2\text{Cl}_2/\text{Hex}$ ) 60/40 v/v mixture. In these experiments, the crossover efficiency increased with the ratio of  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$ , reaching 100% at  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4] \geq 1.2$ ; meanwhile, the conversion decreased at higher  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$  ratios, indicating decreased polymerization rate for tBVE.

TABLE 1

$[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$	Conversion of tBVE (%)	Crossover efficiency (%)
0.7	84	27
0.8	83	33
0.9	86	47
1.0	85	88
1.2	95	100
1.4	84	100
1.5	86	100
1.6	92	100
1.7	82	100
1.8	80	100
1.9	88	100
2.0	80	100
2.1	68	100
2.2	44	100
2.3	25	100
2.4	15	100
2.6	3	100

## Example 3

[0047] In these experiments, after the DTE reaction, different amounts of  $\text{Ti}(\text{Oip})_4$  were added before the addition of tert-butyldimethylsilyl vinyl ether (SiVE). The polymerization time for SiVE was 1 hour. The reaction conditions were the following: temperature =  $-80^\circ\text{C}$ ,  $[\text{TMPCl}] = 0.004\text{M}$ ,  $[\text{IB}] = 0.17\text{M}$ ,  $[\text{SiVE}] = 0.145\text{M}$ ,  $[\text{DTBP}] = 0.006\text{M}$ ,  $[\text{TiCl}_4] = 0.064\text{M}$ , solvent: methylene chloride/hexane ( $\text{CH}_2\text{Cl}_2/\text{Hex}$ ) 60/40 v/v mixture. In these experiments, the crossover efficiency increased with the ratio of  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$ , reaching 100% at  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4] \geq 1.05$ ; meanwhile, the conversion was very low at higher  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$  ratios, indicating the very low polymerization rate of SiVE.

TABLE 2

$[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$	Conversion of SiVE (%)	Crossover efficiency (%)
0.7	80	16
0.8	82	33
0.9	82	43
1.0	85	75
1.05	16	100
1.1	8	100
1.2	6	100

## Example 4

[0048] In these experiments, lower initiator concentration was used. The reaction conditions were the following: temperature =  $-80^{\circ}\text{C}$ ,  $[\text{TMPCl}] = 0.002\text{M}$ ,  $[\text{IB}] = 0.129\text{M}$ ,  $[\text{tBVE}] = 0.153\text{M}$ ,  $[\text{DTBP}] = 0.004\text{M}$ ,  $[\text{TiCl}_4] = 0.036\text{M}$ , solvent: methylene chloride/hexane ( $\text{CH}_2\text{Cl}_2/\text{Hex}$ ) 40/60 v/v mixture. Different amounts of  $\text{Ti}(\text{Oip})_4$  were added before the addition of tBVE, but after the DTE reaction. The polymerization time for tBVE was 2 hours. In these experiments, the crossover efficiency reached 100% for all  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$  ratios; meanwhile, the conversion was very low at higher  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$  ratios, indicating that the polymerization rate of tBVE was slow. However, at low  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$  ratios, the molecular weight distributions were broad, showing higher rate of propagation over that of crossover.

TABLE 3

$[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$	Conversion of tBVE (%)	Crossover efficiency (%)
1.5	87	100
1.7	89	100
1.8	83	100
1.9	91	100
2.0	65	100
2.1	62	100
2.2	45	100
2.4	26	100

## Example 5

[0049] In these experiments, lower initiator concentration was used. The reaction conditions were the following: temperature =  $-80^{\circ}\text{C}$ ,  $[\text{TMPCl}] = 0.002\text{M}$ ,  $[\text{IB}] = 0.129\text{M}$ ,  $[\text{SiVE}] = 0.097\text{M}$ ,  $[\text{DTBP}] = 0.004\text{M}$ ,  $[\text{TiCl}_4] = 0.036\text{M}$ , solvent: methylene chloride/hexane ( $\text{CH}_2\text{Cl}_2/\text{Hex}$ ) 40/60 v/v mixture. Different amounts of  $\text{Ti}(\text{Oip})_4$  were added before the addition of tert-butyldimethylsilyl vinyl ether (SiVE), but after the DPE reaction. The polymerization time for SiVE was 2 hours. In these experiments, the crossover efficiency increased with the ratio of  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$ , reaching 100% at  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4] \geq 1.0$ ; meanwhile, the conversion was very low at higher  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$  ratios, indicating that the polymerization of SiVE was very slow.

TABLE 4

$[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$	Conversion of SiVE (%)	Crossover efficiency (%)
0.6	90	51
0.7	94	58
0.8	86	72
0.9	95	86
1.0	11	100
1.1	11	100

## Example 6

[0050] In these experiments, homopolymerization of tBVE was carried out under similar conditions as in Example 4: temperature = -80 °C,  $[\text{TMPCl}] = 0.002\text{M}$ ,  $[\text{tBVE}] = 0.765\text{M}$ ,  $[\text{DTBP}] = 0.004\text{M}$ ,  $[\text{TiCl}_4] = 0.036\text{M}$ , solvent: methylene chloride/hexane ( $\text{CH}_2\text{Cl}_2/\text{Hex}$ ) 40/60 v/v mixture. As no IB was added, the obtained polymer was poly(t-butyl vinyl ether) (PtBVE). The  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$  was 2.0. 100% conversion was obtained after 4 hours. As indicated by the polydispersity index (PDI) values, homopolymers had narrow molecular weight distribution.

TABLE 5

Time (hour)	Conversion (%)	PDI
1/4	22	1.13
1/2	34	1.13
1	61	1.10
2	83	1.20
4	100	1.19
6	100	1.16
8	100	1.19

## Example 7

[0051] In these experiments, methyl chloride was used instead of methylene chloride. The reaction conditions were the following: temperature = -80 °C,  $[\text{TMPCl}] = 0.002\text{M}$ ,  $[\text{IB}] = 0.129\text{M}$ ,  $[\text{tBVE}] = 0.381\text{M}$ ,  $[\text{DTBP}] = 0.004\text{M}$ ,  $[\text{TiCl}_4] = 0.036\text{M}$ , solvent: methyl chloride/hexane ( $\text{CH}_3\text{Cl}/\text{Hex}$ ) 40/60 v/v mixture. Different amounts of  $\text{Ti}(\text{Oip})_4$  were added before the addition of tBVE, but after the DTE reaction. The polymerization time for tBVE was 2 hours. In these experiments, the crossover efficiency reached 100% for all  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$  ratios studied; meanwhile, the conversion was very low at higher  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$  ratios, indicating the polymerization rate of tBVE was slowed down. Different from Example 4, where methylene chloride/hexane mixtures were used, the

molecular weight distribution of thus obtained diblock copolymer were narrow even at a low  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$  ratio of 1.4.

TABLE 6

$[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$	Conversion of tBVE (%)	MWD
1.4	89	1.06
1.6	90	1.07
1.7	86	1.04
1.8	77	1.03
1.9	62	1.04
2.0	33	1.10
2.2	11	1.09

#### Example 8

[0052] In this example the preparation of PtBVE-PIB-PtBVE triblock copolymers is described by using tert-butyl-dicumylchloride (t-BudiCUCI) as initiator. The reaction conditions were the following: temperature =  $-80^\circ\text{C}$ ,  $[\text{t-BudiCUCI}] = 0.001\text{ M}$ ,  $[\text{IB}] = 1.25\text{ M}$ ,  $[\text{DTBP}] = 0.004\text{ M}$ ,  $[\text{TiCl}_4] = 0.036\text{ M}$ , solvent: methylene chloride/hexane ( $\text{CH}_2\text{Cl}_2/\text{Hex}$ ) 40/60 v/v mixture.

[0053] At the end of the IB polymerization (generally 100% conversion), DTE was added at a concentration of 0.004 M and allowed to react for 1 hour. It was followed by the introduction of  $\text{Ti}(\text{Oip})_4$  to reach a  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$  ratio of 2.0. The tBVE was added and polymerized for 6 hours to ensure 100% conversion. By varying the monomer species concentration, triblock copolymers were prepared with different lengths of center block and end blocks.

[0054] The triblock molecular weights and MWDs were obtained using a Gel Permeation Chromatography on line Multiangle LASER Light Scattering Detector. The molecular weights and MWDs are in Table 7. The triblock compositions, also reported in Table 9, were calculated from the conversion and from proton NMR measurements. The triblock copolymers exhibited characteristic properties of thermoplastic elastomers, as shown in Table 8.



TABLE 7

Sample	Designed MW		Triblock (GPC)		PTBVE content (NMR)		PTBVE content (calc)	
	PIB/100 0	PTBVE/100 0	M <sub>n</sub> /100 0	M <sub>w</sub> /M <sub>n</sub>	mol %	Wt. %	mol %	Wt. %
A	70	2 × 9	86.8	1.38	13	22	13	21
B	70	2 × 20	104.9	1.34	27	39	25	38
C	70	2 × 15	96.2	1.43	23	34	20	31

TABLE 8

Sample	100% modulus (psi)	200% modulus (psi)	300% modulus (psi)	400% modulus (psi)	500% modulus (psi)	Tensile strength (psi)	Elongation at break (%)
A	60	72	81	93	120	619	1464
B	410	612	825	1070	1250	1947	900
C	208	250	310	390	490	1695	1226

## Example 9

[0055] In this example the preparation of PtBVE-PIB-PtBVE triblock copolymers is described by using tert-butyl-dicumylchloride (t-BudiCUCI) as initiator. This example is similar to Example 8 but methylene chloride was replaced by methyl chloride. The reaction conditions were the following: temperature = -80 °C, [t-BudiCUCI] = 0.001 M, [IB] = 1.25 M, [DTBP] = 0.004 M, [TiCl<sub>4</sub>] = 0.036 M, solvent: methyl chloride/hexane (CH<sub>3</sub>Cl/Hex) 40/60 v/v mixture.

[0056] At the end of the IB polymerization, DTE was added at a concentration of 0.004 M and allowed to react for 1 hour. It was followed by the introduction of Ti(OiP)<sub>4</sub> to reach a [Ti(OiP)<sub>4</sub>]/[TiCl<sub>4</sub>] ratio of 1.6. tBVE was added and polymerized for 3 hours to ensure 100% conversion. By varying the monomer species concentration, triblock copolymers were prepared with different lengths of center block and end blocks.

[0057] Following the addition of Ti(OiP)<sub>4</sub>, 1.0 or 2.0 ml samples were taken from the reaction flask to estimate the conversion of IB to PIB and to measure the molecular weight of the PIB middle segment. The conversion of IB was generally 100%. The PIB molecular weights and molecular weight distributions (MWDs) were calculated using PIB calibration. The triblock molecular weights and MWDs were obtained using a Gel Permeation Chromatography on line Multiangle LASER Light Scattering Detector. The molecular weights and MWDs are presented in Table 9. The compositions of the triblocks, also reported in Table 9, were calculated from the conversion and from <sup>1</sup>H

NMR measurements. The triblock copolymers exhibited characteristic properties of thermoplastic elastomers, as shown in Table 10.

TABLE 9

Sample	PIB		Triblock		Size of PTBVE segments	PTBVE content (NMR)		PTBVE content (calc)	
	Mn/1000	Mw/Mn	Mn/1000	Mw/Mn		mol %	Wt. %	mol %	Wt. %
X	69.4	1.08	110.5	1.08	2 × 20,6000	27	39	25	38
Y	66.6	1.07	96.4	1.07	2 × 14,900	21	33	20	31
Z	67.3	1.06	85.9	1.08	2 × 9,300	15	23	13	21

TABLE 10

Sample	100% modulus (psi)	200% modulus (psi)	300% modulus (psi)	400% modulus (psi)	500% modulus (psi)	Tensile strength (psi)	Elongation at break (%)
X	340	425	625	820	1050	1816	760
Y	230	285	425	625	880	2185	800
Z	130	170	200	250	280	1325	1300

#### Example 10

The preparation of PSiVE-PIB-PSiVE triblock copolymers.

[0058] Tert-butyl-dicumylchloride (t-BudiCUCI) was used as initiators. The reaction conditions were the following: temperature = -80 °C, [t-BudiCUCI] = 0.001M, [IB] = 1.286M, [DTBP] = 0.004M, [TiCl<sub>4</sub>] = 0.036M, solvent: methylene chloride/hexane (CH<sub>2</sub>Cl<sub>2</sub>/Hex) 40/60 v/v mixture.

[0059] At the end of the IB polymerization, DTE was added and reacted for an hour. It was followed by the introduction of Ti(OIp)<sub>4</sub> to reach a [Ti(OIp)<sub>4</sub>]/[TiCl<sub>4</sub>] ratio of 0.9. The SiVE was added and polymerized for 2 hours. The obtained triblock copolymer was elastomeric.

#### Example 11

[0060] In these experiments, block copolymerization of IB with cyclohexyl vinyl ether (herein referred as CHVE), was conducted. The reaction conditions were as follows: temperature = -80 °C, [TMPCl] = 0.002M, [IB] = 0.1M, [CHVE] = 0.212M, [DTBP] = 0.004M, [TiCl<sub>4</sub>] = 0.036M, [DTE] = 0.004M, solvent: methyl chloride/hexane (CH<sub>3</sub>Cl/Hex) 40/60 v/v mixture. Different amounts of Ti(OIp)<sub>4</sub> were added before the addition of CHVE, but after the DTE reaction. The polymerization time for CHVE was 2 hours. In these

experiments, the crossover efficiency reached 100% for all studied  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$  ratios; with the increase of  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$  ratio, the PDI of the obtained polymer decreased, indicating better control over block copolymerization.

TABLE 11

$[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$	Conversion of CHBVE (%)	Crossover efficiency (%)	PDI
1.2	99	100	1.54
1.4	100	100	1.15
1.6	99	100	1.08
1.8	94	100	1.06
2.0	62	100	1.07

## Example 12

[0061] In these experiments, homopolymerization of CHVE was carried out under similar conditions as in Example 11: temperature =  $-80^\circ\text{C}$ ,  $[\text{TMPCl}] = 0.002\text{M}$ ,  $[\text{CHVE}] = 0.53\text{M}$ ,  $[\text{DTBP}] = 0.004\text{M}$ ,  $[\text{TiCl}_4] = 0.036\text{M}$ ,  $[\text{DTE}] = 0.004\text{M}$ , solvent: methyl chloride/hexane ( $\text{CH}_3\text{Cl}/\text{Hex}$ ) 40/60 v/v mixture. As no IB was added, the obtained polymer was poly(CHVE). The  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$  was 1.6. 100% conversion was obtained after 32 min. The PDI of the samples decreased with conversion.

TABLE 12

Time (min)	Conversion (%)	PDI
1.5	14.0	1.69
3.6	30.7	1.26
5.9	46.5	1.17
9.3	65.2	1.15
15.3	78.7	1.09
31.9	100	1.11
64	100	1.08

## Example 13

[0062] In these experiments, copolymerization of CHVE with tBVE was carried out under similar conditions as in Example 11: temperature =  $-80^\circ\text{C}$ ,  $[\text{TMPCl}] = 0.002\text{M}$ ,  $[\text{CHVE}] = 0.05\text{M}$ ,  $[\text{tBVE}] = 0.15\text{M}$ ,  $[\text{DTBP}] = 0.004\text{M}$ ,  $[\text{TiCl}_4] = 0.036\text{M}$ ,  $[\text{DTE}] = 0.004\text{M}$ , solvent: methyl chloride/hexane ( $\text{CH}_3\text{Cl}/\text{Hex}$ ) 40/60 v/v mixture. As no IB was added, the obtained polymer was poly(CHVE-co-tBVE). The  $[\text{Ti}(\text{Oip})_4]/[\text{TiCl}_4]$  ratio was 1.6. 100% conversion was obtained after 1.5 h. The PDI of the samples was  $<1.1$ .

TABLE 13

Time (h)	Conversion (%)	PDI
0.5	92	1.07
1.5	100	-
3	100	-
5	100	1.06

**Example 14**

**[0063]** In this example the preparation of poly(CHVE-co-tBVE)-PIB-poly(CHVE-co-tBVE) triblock copolymers is described by using tert-butyl-dicumylchloride (t-BudiCUCI) as initiator. The reaction conditions were the following: temperature=-80 °C, [t-BudiCUCI]=0.001 M, [IB]=1.25 M, [DTBP]=0.004 M, [TiCl<sub>4</sub>]=0.036 M, solvent: methyl chloride/hexane (CH<sub>3</sub>Cl/Hex) 40/60 v/v mixture.

**[0064]** At the end of the IB polymerization (generally 100% conversion), DTE was added at a concentration of 0.004 M and allowed to react for 1 hour. It was followed by the introduction of Ti(OIp)<sub>4</sub> to reach a [Ti(OIp)<sub>4</sub>]/[TiCl<sub>4</sub>] ratio of 1.6. The monomer mixture of CHVE and tBVE (CHVE]=0.05M; [tBVE]=0.15M) was added and polymerized for 2 hours to ensure 100% conversion. Thus the end blocks consisted of 75% of tBVE and 25% of CHVE. The center PIB block had a M<sub>n</sub> of 67.4 kg/mol (PDI=1.09). The triblock copolymer had narrow molecular weight distribution (PDI=1.11) and exhibited good characteristics of a thermoplastic elastomer. By varying the monomer species concentration, triblock copolymers can be prepared with different lengths and compositions of end blocks.

**[0065]** Although various embodiments are specifically illustrated and described herein, it will be appreciated that modifications and variations of the present invention are covered by the above teachings and are within the purview of the appended claims without departing from the spirit and intended scope of the invention.

## IN THE CLAIMS:

1. A copolymer comprising (a) a plurality of constitutional units that correspond to one or more branched olefin monomer species and (b) a plurality of constitutional units that correspond to one or more vinyl ether monomer species, wherein the vinyl ether monomer species are selected from hydrolysable vinyl ether monomer species and elevated- $T_g$  vinyl ether monomer species.
2. The copolymer of claim 1, wherein said one or more branched olefin monomer species comprise an isoolefin.
3. The copolymer of claim 1, wherein said one or more branched olefin monomer species comprise isobutylene.
4. The copolymer of claim 1, wherein said one or more vinyl ether monomer species comprise a hydrolysable vinyl ether monomer species.
5. The copolymer of claim 4, wherein said one or more vinyl ether monomer species further comprise a non-hydrolysable vinyl ether monomer species.
6. The copolymer of claim 1, wherein said one or more one or more vinyl ether monomer species comprise: (a) a hydrolysable vinyl ether monomer species selected from tert-butyl vinyl ether, benzyl vinyl ether and tert-butyldimethylsilyl vinyl ether, and (b) a non-hydrolysable vinyl ether monomer species selected from cyclohexyl vinyl ether and neopentyl vinyl ether.
7. The copolymer of claim 1, wherein said one or more vinyl ether monomer species comprise an elevated- $T_g$  vinyl ether monomer species.
8. The copolymer of claim 1, wherein said one or more vinyl ether monomer species comprise a vinyl ether monomer selected from tert-butyl vinyl ether, benzyl vinyl ether and tert-butyldimethylsilyl vinyl ether.

9. The copolymer of claim 1, wherein said one or more branched olefin monomer species comprise isobutylene, and wherein said one or more vinyl ether monomer species comprise a vinyl ether monomer selected from tert-butyl vinyl ether, benzyl vinyl ether and tert-butyldimethylsilyl vinyl ether.
10. The copolymer of claim 1, wherein said copolymer is a block copolymer comprising: (a) one or more olefin blocks that comprise a plurality of constitutional units corresponding to said one or more branched olefin monomer species and (b) one or more vinyl ether blocks that comprise a plurality of constitutional units corresponding to said one or more vinyl ether monomer species.
11. The copolymer of claim 10, wherein said one or more branched olefin monomer species comprise an isoolefin.
12. The copolymer of claim 10, wherein said one or more branched olefin monomer species comprise isobutylene.
13. The copolymer of claim 10, wherein said one or more vinyl ether monomer species comprise a hydrolysable vinyl ether monomer species.
14. The copolymer of claim 13, wherein said one or more vinyl ether species further comprise a non-hydrolysable vinyl ether monomer species.
15. The copolymer of claim 10, wherein said one or more vinyl ether monomer species comprise: (a) a hydrolysable vinyl ether monomer species selected from tert-butyl vinyl ether, benzyl vinyl ether and tert-butyldimethylsilyl vinyl ether, and (b) a non-hydrolysable vinyl ether monomer species selected from cyclohexyl vinyl ether and neopentyl vinyl ether.
16. The copolymer of claim 10, wherein said one or more vinyl ether monomer species comprise an elevated- $T_g$  vinyl ether monomer species.

17. The copolymer of claim 10, wherein said one or more vinyl ether monomer species comprise a vinyl ether monomer selected from tert-butyl vinyl ether, benzyl vinyl ether and tert-butyldimethylsilyl vinyl ether.
18. The copolymer of claim 10, wherein said one or more branched olefin monomer species comprise isobutylene, and wherein said one or more vinyl ether monomer species comprise a vinyl ether monomer selected from tert-butyl vinyl ether, benzyl vinyl ether and tert-butyldimethylsilyl vinyl ether.
19. The copolymer of claim 1, wherein said copolymer is a block copolymer of the formula  $X(\text{POL-C-PVE})_n$ , where X corresponds to an initiator species, C corresponds to a capping species, POL is an olefin block that comprises a plurality of constitutional units corresponding to said one or more branched olefin monomer species, PVE is a vinyl ether block that comprises a plurality of constitutional units corresponding to said one or more vinyl ether monomer species, and n is a positive whole number ranging from 1 to 5.
20. The copolymer of claim 19, wherein said one or more branched olefin monomer species comprise an isoolefin.
21. The copolymer of claim 19, wherein said one or more branched olefin monomer species comprise isobutylene.
22. The copolymer of claim 19, wherein said one or more vinyl ether monomer species comprise a hydrolysable vinyl ether monomer species.
23. The copolymer of claim 22, wherein said one or more vinyl ether monomer species further comprise a non-hydrolysable vinyl ether monomer species.

24. The copolymer of claim 23, wherein said one or more vinyl ether monomer species comprise: (a) a hydrolysable vinyl ether monomer species selected from tert-butyl vinyl ether, benzyl vinyl ether and tert-butyldimethylsilyl vinyl ether, and (b) a non-hydrolysable vinyl ether monomer species selected from cyclohexyl vinyl ether and neopentyl vinyl ether.
25. The copolymer of claim 19, wherein said one or more vinyl ether monomer species comprise an elevated- $T_g$  vinyl ether monomer species.
26. The copolymer of claim 19, wherein said one or more vinyl ether monomer species comprise a vinyl ether monomer selected from tert-butyl vinyl ether, benzyl vinyl ether and tert-butyldimethylsilyl vinyl ether.
27. The copolymer of claim 19, wherein said one or more branched olefin monomer species comprise isobutylene, and wherein said one or more vinyl ether monomer species comprise a vinyl ether monomer selected from tert-butyl vinyl ether, benzyl vinyl ether and tert-butyldimethylsilyl vinyl ether.
28. The copolymer of claim 19, wherein  $n=1, 2$  or  $3$ .
29. The copolymer of claim 19, wherein said initiator species is selected from an organic ether, an organic ester, an organic alcohol and an organic halide.
30. The copolymer of claim 19, wherein said initiator species is selected from 2,4,4-trimethylpentyl chloride and tert-butyl-dicumylchloride.
31. The copolymer of claim 19, wherein said capping species is a substituted or unsubstituted diphenyl ethylene species.
32. A method of making the block copolymer of claim 10, comprising:  
(a) providing a carbocationically terminated polymer comprising said one or more olefin blocks;



(b) contacting under reaction conditions said carbocationically terminated polymer with a capping species that does not homopolymerize under said reaction conditions, thereby forming an end-capped carbocationically terminated polymer; and

(c) contacting said end-capped carbocationically terminated polymer with said one or more vinyl ether monomer species under reaction conditions having lower Lewis acidity than the reaction conditions of step (b).

33. The method of claim 32, wherein the Lewis acidity in step (b) is provided by the presence of  $\text{TiCl}_4$ , and wherein the Lewis acidity in step (c) is lowered by the addition of a titanium tetraalkoxide species.

34. The method of claim 32, wherein said reaction conditions comprise a temperature between  $-50^\circ\text{C}$  and  $-90^\circ\text{C}$ .

35. The method of claim 32, wherein said carbocationically terminated polymer is formed under reaction conditions from a reaction mixture that comprises: (i) a solvent system, (ii) one or more branched isoolefin monomer species, (iii) an initiator selected from an organic ether, an organic ester, an organic alcohol, and an organic halide, and (iv) a Lewis acid.

36. The method of claim 35, wherein said solvent system comprises (a) a C1 to C4 alkyl halide and (b) a C5 to C10 aliphatic or cycloaliphatic hydrocarbon.

37. The method of claim 32, wherein said one or more vinyl ether monomer species within said block copolymer comprise a hydrolysable vinyl ether monomer species, and wherein said method further comprises hydrolyzing at least a portion of the constitutional units that correspond to one or more hydrolysable vinyl ether monomer species, thereby forming alcohol groups.

38. The method of claim 32, wherein said one or more vinyl ether monomer species within said block copolymer comprise a hydrolysable vinyl ether monomer species and a non-hydrolysable vinyl ether monomer species, and wherein said method further

comprises hydrolyzing at least a portion of the constitutional units that correspond to one or more hydrolysable vinyl ether monomer species, thereby forming alcohol groups.

39. The copolymer of claim 10, wherein said copolymer is a block copolymer comprising (a) one or more polyisobutylene blocks and (b) one or more vinyl ether blocks selected from poly(tert-butyl vinyl ether) blocks, poly(benzyl vinyl ether) blocks, and poly(tert-butyldimethylsilyl vinyl ether) blocks.

40. The copolymer of claim 4, wherein at least a portion of said constitutional units that correspond to one or more hydrolysable vinyl ether monomer species are hydrolyzed.

41. The copolymer of claim 13, wherein at least a portion of said constitutional units that correspond to one or more hydrolysable vinyl ether monomer species are hydrolyzed.

42. The copolymer of claim 22, wherein at least a portion of said constitutional units that correspond to one or more hydrolysable vinyl ether monomer species are hydrolyzed.

43. The copolymer of claim 5, wherein at least a portion of said constitutional units that correspond to one or more hydrolysable vinyl ether monomer species are hydrolyzed.

44. The copolymer of claim 14, wherein at least a portion of said constitutional units that correspond to one or more hydrolysable vinyl ether monomer species are hydrolyzed.

45. The copolymer of claim 23, wherein at least a portion of said constitutional units that correspond to one or more hydrolysable vinyl ether monomer species are hydrolyzed.

46. The copolymer of claim 10, wherein said one or more vinyl ether blocks are random copolymer blocks and wherein said one or more vinyl ether monomer species comprise a hydrolysable vinyl ether monomer species and a non-hydrolysable vinyl ether monomer species.

47. The copolymer of claim 19, wherein PVE is a random copolymer block and wherein said one or more vinyl ether monomer species comprise a hydrolysable vinyl ether monomer species and a non-hydrolysable vinyl ether monomer species.

48. The copolymer of claim 10, wherein said one or more olefin blocks are polyisobutylene blocks and wherein said one or more vinyl ether blocks are random poly(tert-butyl vinyl ether-co-cyclohexyl vinyl ether) blocks.

49. The copolymer of claim 48, wherein at least a portion of the tert-butyl vinyl ether constitutional units are hydrolyzed.

50. A copolymer comprising (a) a plurality of constitutional units that correspond to one or more branched olefin monomer species and (b) a plurality of constitutional units that correspond to vinyl alcohol.

51. The copolymer of claim 50, wherein said one or more branched olefin monomer species comprise an isoolefin.

52. The copolymer of claim 50, wherein said one or more branched olefin monomer species comprise isobutylene.

53. The copolymer of claim 50, wherein said copolymer further comprises a plurality of constitutional units that correspond to one or more non-hydrolysable vinyl ether monomer species.

54. The copolymer of claim 50, wherein said copolymer is a block copolymer comprising: (a) one or more olefin blocks that comprise a plurality of constitutional units corresponding to said one or more branched olefin monomer species and (b) one or more vinyl alcohol blocks that comprise a plurality of constitutional units corresponding to vinyl alcohol.

55. The copolymer of claim 54, wherein said one or more branched olefin monomer species comprise an isoolefin.

56. The copolymer of claim 54, wherein said one or more branched olefin monomer species comprise isobutylene.

57. The copolymer of claim 54, wherein said one or more vinyl alcohol blocks further comprise a plurality of constitutional units that correspond to one or more non-hydrolysable vinyl ether monomer species.

58. The copolymer of claim 50, wherein said copolymer is a block copolymer of the formula  $X(\text{POL-C-PVA})_n$ , where X corresponds to an initiator species, C corresponds to a capping species, POL is an olefin block that comprises a plurality of constitutional units corresponding to said one or more branched olefin monomer species, PVA is a vinyl ether block that comprises a plurality of constitutional units corresponding to vinyl alcohol, and n is a positive whole number ranging from 1 to 5.

59. The copolymer of claim 58, wherein said one or more branched olefin monomer species comprise an isoolefin.

60. The copolymer of claim 58, wherein said one or more branched olefin monomer species comprise isobutylene.

61. The copolymer of claim 58, wherein said vinyl ether block further comprises a plurality of constitutional units that correspond to one or more non-hydrolysable vinyl ether monomer species.

## INTERNATIONAL SEARCH REPORT

International Application No  
PCT/US2004/024624

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C08F210/10 C08F216/12 C08F297/00 C08F8/12 C08F216/06

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C08F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, CHEM ABS Data, WPI Data, PAJ, BEILSTEIN Data

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>RUTH, WILLIAM G. ET AL: "Synthesis of poly(tert-butyldimethylsilyl vinyl ether) block copolymers using silyl aldol polymerization"</p> <p>POLYMER PREPRINTS (AMERICAN CHEMICAL SOCIETY, DIVISION OF POLYMER CHEMISTRY), 34(2), 584-5 CODEN: ACPPAY; ISSN: 0032-3934, 1993, XP009040674</p> <p>the whole document</p> <p style="text-align: center;">----- -/-</p>	1-61



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

## \* Special categories of cited documents:

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document but published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

\*Z\* document member of the same patent family

Date of the actual completion of the international search

1 December 2004

Date of mailing of the international search report

29/12/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax (+31-70) 340-3016

Authorized officer

Wirth, M

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/US2004/024624

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	ZHOU, YONGHUA; FAUST, RUDOLF: "Synthesis of poly(isobutylene-b-tert.-butyl vinyl ether) and poly(isobutylene-b-tert.-butyldimethylsilyl vinyl ether) diblock copolymers" POLYMER PREPRINTS (AMERICAN CHEMICAL SOCIETY, DIVISION OF POLYMER CHEMISTRY), 44(2), 661-662 CODEN: ACPPAY; ISSN: 0032-3934, 2003, XP009040666 the whole document	1-61
X	RUTH; BRITTAINS: "Silicon-mediated synthesis of new amphiphilic oligomers" JOURNAL OF POLYMER SCIENCE, PART A CHEMISTRY, vol. 35, 15 January 1997 (1997-01-15), pages 163-170, XP002308518 page 168, column 2; figure 1	1-61
X	HADJIKYRIACOU S ET AL: "LIVING CATIONIC HOMOPOLYMERIZATION OF ISOBUTYL VINYL ETHER AND SEQUENTIAL BLOCK COPOLYMERIZATION OF ISOBUTYLENE WITH ISOBUTYL VINYL ETHER. SYNTHESIS AND MECHANISTIC STUDIES" MACROMOLECULES, AMERICAN CHEMICAL SOCIETY. EASTON, US, vol. 28, no. 23, 6 November 1995 (1995-11-06), pages 7893-7900, XP000536361 ISSN: 0024-9297 page 7894, column 1 page 7896, column 1; figures 8,7	1